

REF A04

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
13 June 2002 (13.06.2002)


PCT

(10) International Publication Number  
WO 02/46971 A1

- (51) International Patent Classification<sup>7</sup>: G06F 17/30, 17/50, 17/60, G03G 15/00
- (21) International Application Number: PCT/US01/46865
- (22) International Filing Date: 5 December 2001 (05.12.2001)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
60/251,340 5 December 2000 (05.12.2000) US  
Not furnished 4 December 2001 (04.12.2001) US
- (71) Applicant: **SOFTDOMAIN** [US/US]; 377 Hoes Lane, Suite 220, Piscataway, NJ 08854-4138 (US).
- (72) Inventors: **TALLURI, Kumar**; c/o SoftDomain, 377 Hoes Lane, Suite 200, Piscataway, NJ 08854-4138 (US).  
**HADDARA, Ali**; c/o SoftDomain, 377 Hoes Lane, Suite 200, Piscataway, NJ 08854-4138 (US).
- (74) Agents: **DUJMICH, Louis, C. et al.**; Ostrolenk, Faber, Gerb & Soffen, LLP, 1180 Avenue of the Americas, New York, NY 10036 (US).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:  
— with international search report  
— before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

[Continued on next page]

(54) Title: REMOTE SERVICE AGENT FOR SENDING COMMANDS AND RECEIVING DATA OVER E-MAIL NETWORK



(57) Abstract: A communication system provides access to public (14) and private data (15) over a data network (10), wherein the private data (15) is located behind firewalls. The communication system includes an e-mail box which is capable of receiving (20) and storing (30) all customer requests transmitted over the data network and coupled to a remote agent server which retrieves the stored requests. The remote agent server transmits the information obtained associated with the requests to the users. The system allows various communication devices to access public and private data bases on the existing communication infrastructure, including communication devices such as e-mail-enabled cell phones, PDA's, PC's, pages (12), etc. The system allows these communication devices to execute with simple comments from the communication device, native commands and applications on a remote host computer.

WO 02/46971 A1

WO 02/46971 A1



---

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

- 1 -

REMOTE SERVICE AGENT FOR SENDING COMMANDS  
AND RECEIVING DATA OVER E-MAIL NETWORK

CROSS REFERENCE TO RELATED APPLICATIONS

5 This application claims the benefit and priority of U.S. Provisional Application,  
Serial No.60/251,340 filed December 5, 2000 and fully incorporated herein by  
reference.

FIELD OF THE INVENTION

10 The invention relates to a communication system that allows customer to  
easily access various types of corporate and public data securely through any  
electronic mobile communication device. Particularly, the invention relates to a  
communication system in which a service agent computer receiving customer  
commands from a user is capable of executing native host commands or  
applications in a remote host computer based on the customer commands.

BACKGROUND OF THE INVENTION

15 The present invention provides a low cost, reliable solution to access  
public and private data over a data network, and furthermore, data behind  
corporate firewalls, securely from anywhere and at any time. Existing solutions  
are very expensive, proprietary and require expensive infrastructure and outside  
consulting support for systems integration.

20 SUMMARY OF THE INVENTION

The present invention solves the above problem of providing low cost,  
reliable access to public and private data.

The present invention provides a remote service agent frame work that  
allows the execution of applications in a native host environment to access data

- 2 -

resident inside a firewall or public data from the Internet or other data network. The invention uses the e-mail, SMS, ICQ, Instant Messenger (IM), etc., infrastructure to deliver remote commands. A server connected to the existing infrastructure executes the commands and delivers the requested data to the user.

5           Service requests can be sent by any e-mail, SMS, IM, etc., capable device, for example, from desktop e-mail, from a mobile phone, from a 2-way pager, from a PDA, etc.

          According to the invention, a personalized environment is created based on the incoming e-mail or other address. This allows significant security and customization capabilities for each individual user or at the department or  
10           company level.

          E-mail infrastructure is universally available. In the following, when e-mail infrastructure is referred to, it should be understood that other communication structures are also included, such as SMS, ICQ, and IM, without  
15           limitation. The invention uses the existing e-mail infrastructure as a transport mechanism and builds a solution on top of it. The present invention is designed with three main goals:

1.       It provides an inexpensive frame work that allows data access at any time and from anywhere.
- 20       2.       It allows services to be expanded (customizable) without any outside help (i.e., no need for expensive systems integration assistance).
3.       It uses existing devices "as is" (or uses existing delivery infrastructure, i.e., PC's, wireless PDA's, e-mail enabled phones,  
25       http, SMS, WAP and Instant Messaging capable devices (AOL, MSM, Yahoo, ICQ), etc. to send commands and receive data.

          The present invention thus uses the existing e-mail infrastructure to send requests and receive data.

          The present invention is a remote service agent that is particularly useful  
30           with wireless devices. The present invention uses the e-mail transport protocol mechanism to enable devices such as cell phones, two-way pagers and PDA's to

send the service requests and access both private and public data in a secure manner. Because the present invention uses the existing e-mail infrastructure, it requires no additional hardware or expensive proprietary software to function, thereby reducing the cost of remote data access dramatically.

5           The present invention is built on a frame work, which allows expansion of the system according to the user's personal or corporate requirements. New Services can be easily added and tagged as "public" or "private". "Public" services are available to everyone. "Private" services can be personalized to each individual/department/corporation and are designed for the registered users  
10 including individuals, system administrators, software developers and techno hobbyists.

          The present invention has the following features:

          It allows access to data that resides inside of a corporate firewall.

15           It allows access to data from a personal or corporate calendar or telephone book.

          It can retrieve corporate or personal e-mail while the user is on the road.

          It allows remote execution of native host commands and applications.

          There is no need for expensive hardware or specialized environments.

          It works independently of existing information technology (IT)  
20 infrastructure, i.e., no need to disrupt or integrate with the existing systems, thus avoiding expensive integration costs.

          It enables cell phones, two way pagers and PDA's with e-mail capability, to fetch both private and public data.

25           It extends the capabilities of pagers, PDA's and Blackberry devices with e-mail capabilities.

          It acts as an agent to any wireless device with e-mail capability to perform tasks for the mobile users otherwise only possible if they are present at their desks.

          It is customizable to individual requirements.

Other features and advantages of the present invention will become apparent from the following description of the invention which refers to the accompanying drawings.

#### BRIEF DESCRIPTION OF THE DRAWINGS

5           Fig. 1A is an overall system diagram of the environment of the invention;  
          Figs. 1B, 2A and 2B are flowcharts of the system of the invention; and  
          Fig. 3 is a block diagram of a service agent server in accordance with the invention.

#### DETAILED DESCRIPTION OF EMBODIMENTS OF THE INVENTION

10           The present invention builds on the fact that e-mail is a simple and common way of communication. The user registers with an entity that provides the service of the present invention. The system provides a standard or base package and a customizable package. Users may choose to use the standard services provided with the base package to fetch information such as, for  
15           example, stock quotes, directions, restaurants, cinemas etc. or elect customization of the services.

          The user sends a command via e-mail to a server device agent that has the software of the present invention loaded thereon requesting certain information or perform a task (see examples below). The agent processes the request to fetch the  
20           information, fetches the information by, e.g., linking to a source of the information and sends the information requested back via e-mail. It will send the information back on the same channel through which the request came, i.e., e-mail, IM, SMS, ICQ, etc. The whole process takes a short time, e.g., less than a minute. If the request is a task, the task is executed and the status is sent back to  
25           the user.

          Users may also add custom services that suit their own needs. For example, system administrators can develop new services (i.e., either perl scripts or shell commands) to monitor the status of key servers. They will be able to remotely send requests to find out the status or health of the servers within their

- 5 -

business. The system can be configured so that only authorized employees can use the new services.

Individual users may install a version of the invention which works as a standalone server and runs on the user's home machine where the user has the liberty to install various personal services that can be invoked remotely.

Corporations may install another version of the invention which works in conjunction with the corporation's e-mail server and can handle a much larger number of requests and provide a different set of services and different levels of security for multiple departments.

According to the invention, certain free services may be provided. The system can be designed so that a user does not need to register to use these services. The user sends an e-mail from his two-way pager, or cell phone or desktop. For example, the user sends e-mail to "I@infowiz.com", without any subject, and types "help" in the body of the e-mail message. The user will get back a list of services with examples:

To get help about the system:

"help" without any arguments will send back to the user a long document with many examples.

"help s" will send back to the user a shorter and concise version (about ½ page), which is particularly useful with mobile devices.

Other examples of free commands are follows:

To get stock quotes

q<symbol>+<symbol>+...

q intc+ibm+mst

To find a business address, telephone number etc.

find <city> <state> <keyword>[+aux\_keyword]

find somerset nj bookstore

find somerset nj cinema

find somerset nj pizza

- 6 -

5 find somerset nj pharmacy  
find somerset nj computer+store  
find somerset nj italian+restaurant  
find somerset nj burger+king  
find somerset nj taxi  
find somerset nj church

Some other keywords that the user can use are:  
catering, grocery, mc+donald, burger+king, flower+shop, library, taxi, rental+car,  
shopping+mall, university, police, congressman, senator, mayor, synagogue,  
10 temple and many more.....

To find a person:  
411 <last>+<first>+<city>+<state>  
411 clinton ++washington+DC  
411 clinton +bill++DC  
15 411 clinton +bill+washington+DC

To find driving directions:  
dir "from\_street\_addr" city state "dest\_street\_addr" city state  
dir "100 Davidson Ave" Somerset NJ "377 Hoes Lane" Piscataway NJ

To query for system's host name (nslookup):  
20 ns<hostname>  
ns www.softdomain.com

To perform a health check of a machine:  
ping<hostname>  
ping www.infowiz.com  
25 ping 192.168.1.100

To track shipments:



- 7 -

fedex <tracking number>  
ups <tracking number>  
airborne <tracking number>

For weather:

5           w<city state>| <zip code>  
          w piscataway+nj  
          w santaclara+ca  
          w 08854

10           Further services can be made available for registered users who want to  
access data residing on machines inside a firewall, e.g., from a personal  
workstation or corporate databases. Both individual level security control and  
service level control should be provided. Also, registered users can customize all  
the free services listed above.

15           An example is a customized stock quotes command. User X always  
checks for prices on his favorite 6 stocks. Instead of typing all the six symbols  
every time, User X can instead build a customer service called "myq" which will  
be translated to "q ibm+hp+intc+msft+beas+crus". User X can thus send the  
service request as:

myq

20           The user can also get a reminder. For example:

rem <month><day><reminder message>  
rem 11 15 "bday card to sister"

25           A user may fetch mail from a mail server inside a firewall. If sent without  
any arguments, all the pending mail will be forwarded to a pre-configured e-mail  
address. The user can also specify receiving only the e-mails received from  
certain individuals:

fetchmail

- 8 -

fetchmail [<from1><from2>... <from N>]

fetchmail bil @microsoft.com

To get a document from the user 's personal work station:

getdoc <file name>

5 getdoc mydata.doc

To convert a word/excel document and send the text back to the user:

doc2txt <filename>

xls2txt <filename>

doc2text mydata.doc

10 xls2txt salesdata.xls

To perform a system health check (for System Administrators):

sysstatus <host name>

sysstatus cosmos

To perform home control, mostly used with X-10 appliances):

15 homectl <device\_numer|device\_name><on|off>

homectl family\_lamp on

homectl garage on

The general command format of the system of the invention is:

command [parameters] [>to\_list] [<[EOF]

20 input\_data\_line1

input\_data\_line2

...

input\_data\_linen

[EOF]

25 Various examples of command line arguments:

- 9 -

- A) Execute the command specified by command name and return the result to the user device which sent the command if user is not a registered one. Otherwise, send the result to the email address in the user's environment.  
           command [arg1 arg2... argN]
- 5 B) Execute the command but ignore the results i.e. don't send anything back.  
           Command [args] >
- C) Execute the command and send copy of the results to each email address after > sign. command >user1@comapny1.com...usrename@xyz.com
- D) Execute the command by passing the data that follows as input.  
 10 command [args]<EOF  
           input data line 1  
           input data line 2  
           ....  
           input data line N  
 15 EOF

Fig. 1A is an overview of the system of the invention and its environment. The invention includes a server 15 (referred to sometimes as an infowiz server herein) server which is coupled to a digital network 10, for example, the Internet or other infrastructure for transmitting e-mail, SMS, ICQ, IM, etc. Various devices 12, for example, desktop computers, mobile phones, personal digital assistants (PDA's), pagers, etc. or any devices with e-mail capability are attached to the network 10. A mail server 14 is coupled to the network 10. The infowiz server 15 is coupled either inside a firewall, as shown, or outside a firewall, not shown. Any of devices 12 sends a command, for example, any of the commands listed as examples above, to a "COMMAND BOX" on the address for the server, in this case, identified as infowiz.com. This is identified by reference numeral 20 in Fig. 1B. The command is deposited in the COMMAND BOX of the mail server 14 as shown at 30. If the configuration is such that the mail server with the "COMMAND BOX" and infowiz server software are within the same network (i.e.: within the firewall), the mail server is pre-configured to hand over the incoming request directly to the infowiz server, thus avoiding any delays.

- 10 -

However, if the mail server is outside the firewall and the InfoWIZ server is running inside the firewall, the InfoWIZ server periodically checks the COMMAND BOX for any incoming requests. Because the outside mail server that receives the commands cannot access the machines inside the firewalls, it is the responsibility of the InfoWIZ server 15 to probe the mail server for incoming requests. The probing interval is a user configurable parameter.

Fig. 2, comprising Figs. 2A and 2B, shows the steps of operation of the server having the software of the invention resident thereon. The incoming request is read by the server and the server first determines whether the user is registered at 70. If yes, the user's personal environment is set up. A determination is then made at 90 if the command is in a personal list of the user. If yes, the command is executed at 100. If the command is not in the personal list, a determination is made as to whether the command is in public list as indicated at 110. If yes, the command is executed at 100. If the command is not in the public list and it is not in the personal list, the command is saved in a deleted list and the incoming request is removed from the queue as indicated at 120.

If the user is not registered as determined at step 70, a determination is made as to whether the command is in the public list. If it is in the public list, a command is executed at 100. If not, it is saved in the deleted list and the request is removed from the queue at 120.

Assuming a command is executed at 100, a check is then made to determine if there are any errors. If yes, user specific messages are sent at 140. If no errors have occurred, the system obtains user specific output options at 150 and then delivers the requested data in the user specified format as indicated at 160.

Turning to Fig. 2B, the data is delivered based upon the type of output, i.e., HTTP, WAP or e-mail. If a customer request is fetched by means of a device having instant messenger capabilities, such as AOL, MSN or Yahoo, the inventive system acts as a virtual user on the other end taking the customer request and executing it on the user's behalf in the native host environment and

- 11 -

displays the output in the user's IM instantly. A determination is made, for e-mail, at 180, if the results are intended for a list of people. If yes, a copy of the results is sent to each e-mail address indicated at 190. It is not intended for a list of people, then the default destination address is obtained at 200 and the results are forwarded to the default address as indicated at 220.

Turning to FIG. 3, the infowiz server 15 is presented in a somewhat more detailed view and provides a simple way to retrieve information using the existing e-mail infrastructure. The user merely types in a customer command using, for example, an e-mail, an instant messenger (AOL, MSM, Yahoo, ICQ, etc), http or SMS as shown at 300. The server 15 having software executing thereon is capable of reading the customer command at 310 with subsequent parsing thereof at 320. The server 15 further has software for executing the customer command at 330 and at least one database 340. The database accessible by the server 15 stores a customized list of customer commands, a list of remote host computers, as well as public and private lists of services performed by the server 15. The server executes native host commands or applications in the remote host computers based on a customer command and sends data back to the user at 350 using the same channel of communication as the user originally used.

Thus, the present invention provides a simple way to retrieve information using existing e-mail infrastructure. The user types in a command request, as shown in the examples above, and the server, having software from the present invention resident thereon, will obtain the required information from sources coupled to the digital data network. The user can fetch mail from a mail server inside a corporate firewall as shown above or other private information behind a firewall, or publicly accessible information. The present invention thus provides a simplified, cost-effective way to obtain information reliably and simply with any e-mail equipped device. The e-mail equipped device, with the appropriate command, accesses the server over the existing e-mail infrastructure which server then obtains the requested information and forwards it back to the e-mail equipped device over the existing e-mail infrastructure.

Although the present invention has been described in relation to particular embodiments thereof, many other variations and modifications and other uses will become apparent to those skilled in the art. Therefore, the present invention should be limited not by the specific disclosure herein, but only by the appended

5 claims.

WHAT IS CLAIMED IS:

1. A method of executing at least one native host command or application in a remote host computer over a communication link via a communication device, the method comprising:
  - 5 providing a service agent computer having an interface coupled to the network to which a user has access via the communication device for receiving a customer command;
  - receiving the customer command at the service agent computer;
  - executing by the service agent computer at least one native host command or application based on the customer command in the remote host  
10 computer; and
  - transmitting data associated with the customer command from the remote host computer to the communication device via the network.
2. The method as recited in claim 1 wherein the communication device of the customer comprising at least one of a PC, wireless PDA, e-mail enabled phone, SMS, WAP and Instant Messaging device, including AOL, MSM, Yahoo, ICQ, and any combination of these.
3. The method as recited in claim 1, wherein the interface of the service agent computer is coupled to the network directly.
4. The method as recited in claim 1, wherein the interface of the service agent computer is a secure interface coupled to the network via a firewall.
5. The method as recited in claim 1, further comprising the step of providing an e-mail box computer having a respective interface which is coupled to the communication device of the user via the network for receiving the customer command and further coupled to the service agent computer.

- 14 -

6. The method as recited in claim 5, further comprising the step of automatically handing over a stored customer command from the e-mail box computer to the service agent computer, thereby avoiding any delays during transmission of the customer requests via the network.

7. The method as recited in claim 5, further comprising the step of periodically probing the e-mail box computer by the service agent computer, the interface of the service agent computer being coupled to the network via a firewall.

8. The method as recited in claim 7, wherein an interval of probing is a user configurable parameter.

9. The method as recited in claim 6, wherein the e-mail box and service agent computers are located within the same firewall.

10. The method as recited in claim 1, wherein the customer command comprises at least one of a request for delivering stock quotes, locating business and home addresses and telephone numbers of businesses and persons, providing driving directions, performing a health check of a machine, tracking shipments  
5 and updating weather reports, and a combination of these.

11. The method as recited in claim 1, wherein the customer command can be expanded, the method further comprising the steps of preparing a short or long list of services performed by the service agent computer and e-mailing the list to the user.

12. The method as recited in claim 10, further comprising the step of registering users.

13. The method as recited in claim 10, further comprising the step of allowing execution of a customer command seeking confidential data from the



remote host computer after verifying that the user is registered, the remote host  
computer containing the confidential data being associated with personal  
5 workstations or with a corporate database which is located inside a firewall.

14. The method as recited in claim 13, further comprising the step of  
selectively fetching and sending e-mail stored on the personal workstation to a  
pre-configured e-mail address of the registered users.

15. The method as recited in claim 12, further comprising the steps of  
allowing the registered users to customize the customer command and of storing  
the customized customer command as a non-public list on the service agent  
computer.

16. The method as recited in claim 1, further comprising the step of  
storing a public list of publicly available services, whereby the service agent  
computer processes the customer command as to publicly available data  
regardless of whether the user is registered.

17. The method as recited in claim 16, further comprising the steps of  
determining whether the user is registered, determining whether the customer  
command seeks publicly available data, and determining whether the registered  
user has a non-public list stored on the service agent computer.

18. The method as recited in claim 17, further comprising the step of  
saving the customer command of the registered user requesting data which is  
neither on the public list nor on the non-public list.

19. The method as recited in claim 1, further comprising the step of  
verifying the correctness of data received from the host computer before  
transmitting the received information to the user.

20. The method as recited in claim 1, further comprising the step of determining the communication channel of the communication device and transmitting information associated with the customer command to the user, the step of determining comprising determining of the communication channel is one  
5 of an HTTP, WAP, e-mail, an IM environment.

21. The method as recited in claim 20, further comprising the step of determining whether the user requesting execution of the customer command is associated with a multiplicity of users having different e-mail addresses which are stored on the service agent computer, the different e-mail addresses being  
5 stored as a pre-configured e-mail list, and transmitting a copy of the received information to each e-mail address on the list.

22. A system for allowing a user having a communication device to execute at least one native host command or application on a remote host computer over a communication link, the system comprising:  
a service agent computer having an interface coupled to the network, the service  
5 agent computer being configured so as to:

receive a customer command from the communication device on the network;  
based on the received customer command execute a native host command or application on the remote host computer; and  
10 transmit data associated with the customer command to the user via the network.

23. The system as recited in claim 22, further comprising a e-mail box computer having an interface coupled to the network and to the service agent computer, the e-mail box computer being configured so as to perform an operation comprising at least one of:  
5 directly receiving the customer command,  
storing the customer command,

- 17 -

handing over the customer command to the remote host computer, and a combination thereof.

24. The system as recited in claim 23, wherein the service agent and e-mail box computers are directly coupled to the network, the e-mail box computer handing over the received information to the service agent computer without substantial delay.

25. The system as recited in claim 23, wherein the service agent and e-mail box computers are located behind the same firewall.

26. The system as recited in claim 22, wherein the service agent computer is located behind a firewall, the service agent computer probing the e-mail box computer located outside of the firewall to retrieve the stored customer command.

27. The system as recited in claim 26, wherein the service agent computer probes the e-mail box computer at periodic intervals, the service agent computer having software executing thereon for allowing the user to select an interval of probing.

28. The system as recited in claim 26, wherein the service agent computer has software executing therein for allowing the user to create a customized list of consumer commands or applications, the system further comprising a customization database coupled to the service agent computer and storing the customized list of consumer commands.

5

29. The system as recited in claim 22, wherein the service agent computer has software executing thereon for at least one of obtaining data related to stock quotes, locating business and home addresses and telephone numbers of businesses and persons, providing driving directions, performing a health check of a machine, tracking shipments and updating weather reports, and a combination of these.

5

- 18 -

30. The system as recited in claim 22, wherein the communication device has an e-mail capability and is selected from a two-way pager, PDA, cell-phones, PC, laptop and a combination thereof.

31. The system as recited in claim 22, wherein the network is the Internet.

32. The system as recited in claim 22, wherein the service agent computer has software executing thereon for registering users, the system further comprising a user database storing a list of registered users and accessible by the service agent computer.

33. The system as recited in claim 32, wherein the service agent computer has software executing thereon for identifying the registered users and software for identifying at least one stored customized list of customer commands associated with the identified registered user.

34. The system as recited in claim 22, wherein the system further comprises a user list database storing a customizable list of users and accessible by the service agent computer upon receiving data from the remote host computer.

35. The system as recited in claim 34, wherein the service agent computer has software executing thereon for providing a copy of the received data to each of the users the stored customized list of users, and software executing on the service agent computer for using an e-mail transport protocol to  
5 send a respective copy to each e-mail address on the stored customized list of users.

36. The system as recited in claim 22, wherein the service agent computer allows the customer command to be transmitted behind a firewall protecting the remote host computer.

37. The system as recited in claim 22, wherein the service agent computer has software executing thereon for checking the functionality of a user server coupled to the network, retrieving an e-mail stored on a private workstation associated with the registered user, and a combination thereof in response to the customer command.

38. The system as recited in claim 37, wherein the service agent computer has software executing thereon for sequentially checking whether the customer command has been sent from a registered user or a non-registered user, the customer command is on a private list or public list of information, and  
5 software for storing the customer command which is neither on the private list nor on the public list if the user filing the customer command is registered.

39. The system as recited in claim 38, wherein the service agent computer has software executing thereon for verifying data obtained from the remote host computer.

40. The system as recited in claim 39, wherein the service agent computer allows the obtained information to be delivered based on a type of communication channel employed by the user and comprising one of HTTP, WAP, e-mail, IM and SMS.

41. The system as recited in claim 23, wherein the communication device comprises one of a cell phone, PDA, pager, PC, Palm and Blackberry device.




FIG. 1A

2/5




FIG. 1B




FIG. 2A






FIG. 2B

5/5




FIG. 3

BEST AVAILABLE COPY

## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US01/46865

## A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) :G06F 17/50, 17/60; G03G 15/00

US CL :705/35; 707/10; 713/201; 399/8; 709/203

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 705/35; 707/10; 713/201; 399/8; 709/203

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

Please See Extra Sheet.

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 6,141,759 A (BRADY) 31 October 2000, see whole document.	1-41
Y	US 6,128,602 A (NORTHINGTON et al) 03 October 2000, see whole document.	1-41
Y, P	US 6,317,570 B1 (UCHIDA et al) 13 November 2001, see whole document.	1-41
Y, P	US 6,279,001 B1 (DEBETTENCOURT et al) 21 August 2001, see whole document.	1-41

☐ Further documents are listed in the continuation of Box C.
 ☐ See patent family annex.

* Special categories of cited documents	"I" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A" document defining the general state of the art which is not considered to be of particular relevance	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"E" earlier document published on or after the international filing date	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"G" document member of the same patent family
"O" document referring to an oral disclosure, use, exhibition or other means	
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

11 MARCH 2002

Date of mailing of the international search report

25 APR 2002

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703) 305-9230

Authorized officer

AYAZ R. SHEIKH

Telephone No. (703) 305-9648

Form PCT/ISA/210 (second sheet) (July 1998)\*

BEST AVAILABLE COPY

## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US01/46865

### B. FIELDS SEARCHED

Electronic data bases consulted (Name of data base and where practicable terms used):

East search.

Key terms: client/server, firewall, agent, broker, request, trasnmit, transfer data, interface, database, remote server, host, message devices.